(FP)

LAVA 20 WHITE TOP COAT ECO

Safety Data Sheet

Page 1/12

Revision: 13.10.2021

According to Regulation (EC) No. 1907/2006 (REACH) with its Amendment Regulation (EC) No.1272/2008 (CLP) and EU 2020/878

Printing date 13.10.2021

Version number 3 (replaces version 2)

SECTION 1: Identification of the substance/mixture and of the company /undertaking

1.1 Product identifier

Trade name: LAVA 20 WHITE TOP COAT ECO

1.2 Relevant identified uses of the substance or mixture and uses advised against Professional use

Application of the substance / the mixture: Waterproofing membrane

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

OWL WATERPROOFING SOLUTIONS

135 Slaney Road, Dublin Industrial Estate

Glasnevin, Dublin 11 Tel: +353 01 830 2250

Email: info@owlwaterproofing.co.uk Website: www.owlwaterproofing.co.uk 1.4 Emergency telephone number:



European Emergency Tel.: +353 01 830 2250

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms: Void

Signal word: Void

Hazard statements:

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH208 Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

(Contd. on page 2)

According to Regulation (EC) No. 1907/2006 (REACH) with its Amendment Regulation (EC) No.1272/2008 (CLP) and EU 2020/878

Printing date 13.10.2021

Version number 3 (replaces version 2)

Revision: 13.10.2021

Trade name: LAVA 20 WHITE TOP COAT

vPvB: Not applicable.

(Contd. of page 1)

3.2 Mixtures Description: Mixture: consisting of	the following components.			
Ingredients according Regulation (EU) 2020/878:				
	1-butylpyrrolidin-2-one Acute Tox. 3, H301; Acute Tox. 3, H331; Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥2.5-<10%		
CAS: 1314-13-2 EINECS: 215-222-5 Index number: 030-013-00-7 Reg.nr.: 01-2119463881-32-XXXX	zinc oxide Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥0.25-<2.5%		
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5	reaction mass of: 5-chloro-2- methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.001		
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17-XXXX	titanium dioxide substance with a Community workplace exposure limit	≥20-<30%		

Additional information:

(CAS:13463-67-7) Titanium dioxide

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter \leq 10 μ m.

(Contd. on page 3)

According to Regulation (EC) No. 1907/2006 (REACH) with its Amendment Regulation (EC) No.1272/2008 (CLP) and EU 2020/878

Printing date 13.10.2021 Version number 3 (replaces version 2) Revision: 13.10.2021

Trade name: LAVA 20 WHITE TOP COAT

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Get the afflected people some fresh air.

After inhalation:

If the patient becomes unconscious, secure him in a side position for transportation.

If symptoms last, see a doctor.

After skin contact:

Take off any contaminated clothing.

Talk to a doctor if skin irritation persists.

After eye contact:

Safeguard the uninjured eye.

Seek emergency medical attention.

Avoid forceful water jets to prevent corneal injury; consult a doctor.

After swallowing:

Ensure you are getting lots of fresh air and drink. Make a doctor's appointment immediately.

Seek emergency medical attention.

Never offer anything by mouth to an unconscious individual.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Use foam to put out major fires.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Sand or earth

5.2 Special hazards arising from the substance or mixture zinc oxide (ZnO)

5.3 Advice for firefighters

Protective equipment:

In the event of fire, self-contained breathing gear and full protective clothes are required.

Additional information

Separately collect contaminated fire-fighting water. It should not go down the sewage line.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Make sure there is enough air circulation.

Avoid breathing in fumes.

Avoid skin and eye contact.

Wear safety gear when necessary. Keep unprotected people at a distance.

6.1.1 For non-emergency personnel Stay away from any leaking or flowing substances.

6.1.2 For emergency responders

Wear safety gear when necessary. Keep vulnerable people at a distance.

Protective gear, gloves, goggles, and a breathing device with a type A filter are required for first-aid rescuers.

(Contd. on page 4)

According to Regulation (EC) No. 1907/2006 (REACH) with its Amendment Regulation (EC) No.1272/2008 (CLP) and EU 2020/878

Printing date 13.10.2021 Version number 3 (replaces version 2)

Trade name: LAVA 20 WHITE TOP COAT

(Contd. of page 3)

Revision: 13.10.2021

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Utilize absorbent material to collect (sand, diatomite)

Absorb using a liquid adhesive (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Put contaminated materials in the trash in accordance with item 13

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Do not breath vapours

Do not eat, drink or smoke during the usage of the product.

Avoid contact with skin and eyes.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 13463-67-7 titanium dioxide

WEL (Great Britain) Long-term value: 10* 4** mg/m³ *total inhalable **respirable

DNELs

Titanium dioxide cas: 13463-67-7

DNEL: 10 mg/m³

Zinc oxide (CAS: 1314-13-2)

DNEL workers, Chronic systemic effects:

Inhalation: 5 mg/m³ Dermal: 83 mg/kg

Consumers DNEL, Chronic systemic effects

Ingestion: 0.83 mg/kg Inhalation: 83 mg/kg

1-butylpyrrolidin-2-one (CAS: 3470-98-2).

workers:

Dermal - Long-term - systemic effects: 10 mg/kg dw/day. Inhalation - Long-term - systemic effects: 24.1 mg/m³.

PNECs

1-butylpyrrolidin-2-one (CAS: 3470-98-2).

Fresh water: 4 mg / 1

Freshwater demand: 29.6 mg/kg

Marine water: 0.4 mg/1

(Contd. on page 5)

According to Regulation (EC) No. 1907/2006 (REACH) with its Amendment Regulation (EC) No.1272/2008 (CLP) and EU 2020/878

Printing date 13.10.2021

Version number 3 (replaces version 2)

Trade name: LAVA 20 WHITE TOP COAT ECO

(Contd. of page 4)

Revision: 13.10.2021

Marine sediment? 2.96 mg / kg

Soil: 3.57 mg / kg

Sewage treatment plant: 30.62 mg/l Discontinued use / release: 1 mg/l Zinc oxide (CAS: 1314-13-2): Freshwater PNEC: 20.6 mg/l Marine water PNEC: 6.1 mg/l

PNEC STP (liquid waste treatment plant): 52 mg/l PNEC sediment (fresh water): 117.8 mg/kg PNEC sediment (marine water): 56.5 mg/kg

Soil PNEC: 35.6 mg/kg

8.2 Exposure controls

8.2.1. Appropriate engineering controls

Make sure there is enough airflow.

Take the necessary safety precautions while handling chemicals

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

Prior to breaks and after work, wash your hands.

Avoid eating, drinking, and smoking while using the product.

Respiratory protection:



In cases of inadequate ventilation, use an appropriate respiratory protection gear. Respiratory protection is necessary while spraying and in poorly ventilated work spaces. For brief durations of labor, a charcoal filter and particle filter A2-P2 (EN529) combination mask or an air-fed mask are advised.

Hand protection



Protective gloves resistant to chemicals (standard EN 374-1)

The material used for the gloves must be waterproof and resistant to the product, substance, or preparation. No advice for the glove material for the product, preparation, or chemical mixture can be made due to a lack of studies.

Choose the glove material while taking the degradation, diffusion, and penetration rates into account

Material of gloves

Hand protection when handling the product at room temperature:

Butyl rubber - IIR: thickness ≥0,5mm; breakthrough time ≥480min.

Fluorinated rubber - FKM: thickness ≥0,4mm; breakthrough time ≥480min.

Recommendation: contaminated gloves should be disposed of.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Duration of glove material penetration

The manufacturer of the protective gloves must determine the precise breakthrough time and keep track of it. The EN 16523-1: 2015 calculated penetration times are not tested under realistic conditions. As a result, it is advised to wear clothing for no more than 50% of the time it takes for it to penetrate the skin.

(Contd. on page 6)

According to Regulation (EC) No. 1907/2006 (REACH) with its Amendment Regulation (EC) No.1272/2008 (CLP) and EU 2020/878

Printing date 13.10.2021

Version number 3 (replaces version 2)

Trade name: LAVA 20 WHITE TOP COAT

(Contd. of page 5)

Revision: 13.10.2021

Eye/face protection



Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:





Chemically resistant, protective work clothing (EN 14605) and boots.

Environmental exposure controls

Avoid letting the substance go into drains, groundwater, surface water, or soil. Flushing fluids should be disposed of in compliance with local and

SECTION 9: Physical & chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Liquid Colour: **Transparent**

Odour: Characteristic

Odour threshold: Not determined **Melting point/freezing point:** Not determined **Flammability** Not applicable

Lower and upper explosion limit

Lower: Not determined

Upper: Not determined Flash point: Not Flammable

Auto-ignition temperature: Product is not selfigniting.

Not determined **Decomposition temperature:** Not determined pН

Viscosity:

Kinematic viscosity Not determined

Kinematic viscosity

Not determined **Dynamic:**

Solubility

Not determined water: Partition coefficient n-octanol/water (log value) Not determined

Vapour pressure: Not determined Density and/or relative density **Density:** Not determined

Relative density Not determined Vapour density Not determined

9.2 Other information

Appearance:

Form: Liquid

(Contd. on page 7)

According to Regulation (EC) No. 1907/2006 (REACH) with its Amendment Regulation (EC) No.1272/2008 (CLP) and EU 2020/878

Printing date 13.10.2021 Version number 3 (replaces version 2) Revision: 13.10.2021

Trade name: LAVA 20 WHITE TOP COAT

(Contd. of page 6)

Important information on protection of health and

environment, and on safety.

Auto-ignition temperature: Not determined

Explosive properties: Product does not present an explosion hazard.

Solvent content:

 Organic solvents:
 0 %

 Water:
 48.8 %

 VOC (EC)
 0.03 %

Cloud point / clarification point:

Oxidising properties Not oxidising
Evaporation rate Not determined

Information with regard to physical hazard classes

Explosives Void Flammable gases Void Void Aerosols Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void **Self-heating substances and mixtures** Void Substances and mixtures, which emit flammable gases in contact with water Void Void

gases in contact with waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoidDesensitised explosivesVoid

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products

Carbon dioxide (CO2) Carbon monoxide

Zinc Oxides

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 8)

Revision: 13.10.2021

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its Amendment Regulation (EC) No.1272/2008 (CLP) and EU 2020/878

Printing date 13.10.2021

Version number 3 (replaces version 2)

Trade name: LAVA 20 WHITE TOP COAT

Trauc name.	(Contd. of page 7) C50 values relevant for classification: (Acute Toxicity Estimates)				
		(Contd. of page 7)			
LD/LC50	values relevant for classifi	cation:			
ATE (Acute Toxicity Estimates)					
Oral	LD50	7,276-48,508 mg/kg (rat)			
Inhalative	LC50/4h (dusts and mists)	136 mg/l (rat)			
CAS: 1340	CAS: 13463-67-7 titanium dioxide				
Oral	LD50	>20,000 mg/kg (rat)			
Dermal	LD50	>10,000 mg/kg (rabbit)			
Inhalative	LC50/4 h (vapour)	>6.82 mg/l (rat)			
CAS: 3470-98-2 1-butylpyrrolidin-2-one					
Oral	LD50	300-2,000 mg/kg (rat)			
Dermal	LD50	>2,000 mg/kg (rat)			
Inhalative	LC50/4h (dusts and mists)	5.6 mg/l (rat)			
CAS: 1314	CAS: 1314-13-2 zinc oxide				
Oral	LD50	>5,000 mg/kg (rat)			

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity

1-butylpyrrolidin-2-one (CAS: 3470-98-2).

Effects on fertility:

Genre: Rat

How to apply: Orally

Fertility: NOAEL Parent: 500 mg / kg body weight

Effects on fetal development:

Genre: Rat

Method of application: inhalation (dust / fog / smoke)

Growth toxicity: NOAEL: 0.6 mg/1

Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 9)

According to Regulation (EC) No. 1907/2006 (REACH) with its Amendment Regulation (EC) No.1272/2008 (CLP) and EU 2020/878

Printing date 13.10.2021 Version number 3 (replaces version 2) Revision: 13.10.2021

Trade name: LAVA 20 WHITE TOP COAT

(Contd. of page 8)

CECTION 12. E. d.
SECTION 12: Ecological information 12.1 Toxicity
Aquatic toxicity:
CAS: 3470-98-2 1-butylpyrrolidin-2-one
EC50 (72h) >160 mg/l (Pseudokirchn subcapitata)
EC50 (48h) >100 mg/l (Daphnia magna)
LC50 (96h) >100 mg/l (fis)
CAS: 1314-13-2 zinc oxide
EC50 (72h) 0.17 mg/l (sec)
EC50 (48h) 0.481 mg/l (Daphnia magna)
CAS: 55965-84-9 reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1)
EC50 (48h) 0.16 mg/l (daphnia magna)
LC50 (96h) 0.19 mg/l (Oncorhynchus mykiss)

12.2 Persistence and degradability

1-butylpyrrolidin-2-one: Biodegradable.

Zinc oxide:

Rapidly degradable: No

AVAILABILITY: Easily degradable = No

12.3 Bioaccumulative potential

1-butylpyrrolidin-2-one:

Partition Coefficient: n-octanol / water: log Pow = 1,265.

Zinc oxide: low bioconcentration.

12.4 Mobility in soil

1-butylpyrrolidin-2-one:

Distribution between environmental departments: Koc: 43.2

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects Remark: Harmful to fish

Additional ecological information:

General notes:

Do not let undiluted products or substantial quantities of them into sewage systems, water courses, or groundwater. Environmentally hazardous components are present in the product.

Detrimental to aquatic life

(Contd. on page 10)

According to Regulation (EC) No. 1907/2006 (REACH) with its Amendment Regulation (EC) No.1272/2008 (CLP) and EU 2020/878

Printing date 13.10.2021 Version number 3 (replaces version 2) Revision: 13.10.2021

Trade name: LAVA 20 WHITE TOP COAT

(Contd. of page 9)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information		
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 11)

According to Regulation (EC) No. 1907/2006 (REACH) with its Amendment Regulation (EC) No.1272/2008 (CLP) and EU 2020/878

Printing date 13.10.2021

Version number 3 (replaces version 2)

Trade name: LAVA 20 WHITE TOP COAT

(Contd. of page 10)

Revision: 13.10.2021

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H301 Toxic if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Department issuing SDS:



OWL WATERPROOFING SOLUTIONS

135 Slaney Road, Dublin Industrial Estate

Glasnevin, Dublin 11

Tel: +353 01 830 2250

Email: info@owlwaterproofing.co.uk

Website: www.owlwaterproofing.co.uk

Version number of previous version: 2

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

(Contd. on page 12)

LAVA 20 WHITE TOP COAT ECO

Safety Data Sheet

Page 12/12

According to Regulation (EC) No. 1907/2006 (REACH) with its Amendment Regulation (EC) No.1272/2008 (CLP) and EU 2020/878

Printing date 13.10.2021

Version number 3 (replaces version 2)

Revision: 13.10.2021

Trade name: LAVA 20 WHITE TOP COAT

(Contd. of page 11)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.